

SHERIDY

Qingdao Sheridy International Trading Co., Ltd.
TEL: 86 532 5557 9241

Suite 0702, D&D Fortune Center No.186-2 Haier Road, 266061 Qingdao, China

SHERIDY

Qingdao Sheridy International Trading Co., Ltd.

WWW.SHERDY.COM

About us

Qingdao Sheridy International Trading Co., Ltd. is specialist in manufacturing and supplying stainless steel rigging hardware and railing components. We are dedicated to providing our clients with the highest quality products. We are a vibrant company, so we continually search for the latest product innovations, better manufacturing processes and ways to reduce costs. Our commitment - never compromising on quality and safety. We also welcome OEM and DIY products or just opinion from clients.

Quality & Safety

Railing system use and develop 3 d CAD / CAM & product development systems. Strict supervision of each process to maintain maximum accuracy, dimensions and integrity. Easy to install and test the security infrastructure technology-based connections and fully consider the function. Railing system has been rigorously tested under extreme conditions, prove that's great use in the world. Quality control department is not only designed to test the product and prevent substandard products, but the most important thing is to control the process and identify problems.

Maintenance & Protection

Grade	C	Si	Mn	P	S	Ni	Cr	Mo
304	≤0.08	≤1.00	≤2.00	≤0.035	≤0.035	8.00-10.50	18:00-20:0	-
304	≤0.08	≤1.00	≤2.00	≤0.035	≤0.035	10.00-14.00	16:00-18:0	2.00-3.00

The material we use is high-quality AISI304 & AISI316. Used properly, stainless steel will perform powerful, resistant visual appeal & structural integrity in wide-range use and environment.

Stainless Steel Tea Staining

Incorrect specification, fabrication or long-term exposed in the coastal environment may lead to stainless steel satin or fade, affect the overall appearance. The brown discoloration, or tea stain has been identified in the coastal applications in Australia and overseas. Tea staining mainly occurs in approximately five kilometers waterfront. Wind and other environmental factors, industrial pollution, temperatures, etc. may cause staining problems exposed tea, tea staining may occur 20 kilometers. It does not affect the structural integrity of life or material.

Design, Fabrication and Handing

Poor design and fabrication can lead to tea staining or more serious corrosion of stainless steels. In the design stage, it is advised to avoid crevices such as intermittent welds and areas where water can collect. During the fabrication process, it is advised to avoid carbon steel contamination.

Choose a smoother surface

Rough surface finishes promote tea staining. The main cause of this problem is salt deposited on the stainless steel surface. The smoother the surface the better. To reduce the risk of tea staining choosing or creating a smoother surface is an ideal combatant. Smoother surface finishes stay cleaner between washes and don't have deep surface grooves where chlorides and other contaminants can collect and concentrate.

A process called picking may be used to remove surface contaminants, but may dull the surface. Alternately electro polishing may be used, and has the added benefit of brightening the surface.

Specify Grade '316' Stainless Steel


As outlined in the previous section, Grade 316 is ideal for marine and highly corrosive environments. Regular maintenance and use of lanolin protective products will ensure the best resistance against tea staining and corrosive effects.

Even smooth stainless steel finishes in coastal environments may show tea staining if not washed regularly. Rain washing the stainless steel surface can help reduce tea staining, and should therefore be an important project design consideration. Best Results are achieved by washing with soap or mild detergent and warm water followed by rinsing with clean cold water. Surface appearance may be further improved by wiping dry the washed surface and treating the stainless steel with inox or polinox protective range.

Quality

Get high quality your projects demand

- Consistent surfaces and colors
- Extremely accurate measurements and tolerances
- No need for reworking
- Made from standard stainless steel



Design

Emphasis of our design is to let clients benefit.

- Easy installation methods that provide significant savings during the building process
- Safety and practicality always assured
- No need for welding and cutting

Safety

Know that all products and systems have been extensively tested

- Products will be tested 3 times, workers, inspectors, engineer
- Safety has passed ISO certification

Use and appearance


Wide use area and exquisite appearance

- Can be used as stairs, balcony, indoor wall hangings etc.
- Take stainless steel as raw material, high-level appearance
- Satin & polish finish make products different.

Customized

Let us do the preparatory work for you

- Prefixed baluster posts made to your exact specifications
- Pre-cut bars, tubes and base plate, all ready for installation
- Customized tubes in 2D or 3D, with absolutely no risk



CONTENTS



CONNECTORS



P7

HANDRAIL BRACKETS

P12



END CAP



P21



P24

BAR HOLDER

SHEET HOLDER



BASE PLATE

P28



P33

P36



ADAPTER



SLOTTED TUBE

P37



P39

HANDRAIL SUPPORTS



P43

SQUARE TUBE FITTINGS

P47
ROUND COVER



P49 GLASS CLAMP




P52


GLASS POST



RIGGING HARDWARE


P62






Tube Connector 90°-Straight

Code No.	For Tube (Ø)	H
SHR01-01-001	33.7 x 2	25
SHR01-01-002	42.4 x 2	30
SHR01-01-003	42.4 x 2.6	30
SHR01-01-004	48.3 x 2	35
SHR01-01-005	48.3 x 2.6	35



Tube Connector 135°

Code No.	For Tube (Ø)	H
SHR01-03-001	33.7 x 2	25
SHR01-03-002	42.4 x 2	30
SHR01-03-003	42.4 x 2.6	30
SHR01-03-004	48.3 x 2	35
SHR01-03-005	48.3 x 2.6	35



Tube Connector -Adjustable

Code No.	For Tube (Ø)	H
SHR01-06-001	33.7 x 2	25
SHR01-06-002	42.4 x 2	30
SHR01-06-003	42.4 x 2.6	30
SHR01-06-004	48.3 x 2	35
SHR01-06-005	48.3 x 2.6	35



Tube Connector- In Line

Code No.	For Tube (Ø)	Middle Dia
SHR01-08-001	33.7 x 2	6
SHR01-08-002	42.4 x 2	6
SHR01-08-003	42.4 x 2.6	6
SHR01-08-004	48.3 x 2	6
SHR01-08-005	48.3 x 2.6	6



Tube Connector 90°-Round

Code No.	For Tube (Ø)	H
SHR01-02-001	33.7 x 2	25
SHR01-02-002	42.4 x 2	30
SHR01-02-003	42.4 x 2.6	30
SHR01-02-004	48.3 x 2	35
SHR01-02-005	48.3 x 2.6	35




Tube Connector-Tee

Code No.	For Tube (Ø)	H
SHR01-04-001	33.7 x 2	50
SHR01-04-002	42.4 x 2	60
SHR01-04-003	42.4 x 2.6	60
SHR01-04-004	48.3 x 2	70
SHR01-04-005	48.3 x 2.6	70



Bar Connector -Adjustable

Code No.	For Bar (Ø)	H
SHR01-09-001	10	35
SHR01-09-002	12	36
SHR01-09-003	14	37



Tube Connector -Adjustable

Code No.	For Bar (Ø)	H
SHR01-10-001	16 x 1	11



Tube Connector 90°-Bend

Code No.	For Tube (Ø)	H
SHR01-05-001	33.7 x 2	25
SHR01-05-002	42.4 x 2	30
SHR01-05-003	42.4 x 2.6	30
SHR01-05-004	48.3 x 2	35
SHR01-05-005	48.3 x 2.6	35



Tube Connector-Tee 90°


Code No.	For Tube (Ø)	H
SHR01-07-001	33.7 x 2	25
SHR01-07-002	42.4 x 2	30
SHR01-07-003	42.4 x 2.6	30
SHR01-07-004	48.3 x 2	35
SHR01-07-005	48.3 x 2.6	35



End Scroll-Flat




Code No.	Ø	H
SHR01-11-001	42.4 x 2	81







End Scroll-Round

Code No.	Ø	H
SHR01-12-001	42.4 x 2	64



Welding Elbow 90° for tube

Code No.	Dia (Ø)	H
SHR01-13-001	33.7	50
SHR01-13-002	42.4	65
SHR01-13-003	48.3	75





Handrail Support-Straight Saddle

Code No.	D	H
SHR02-01-001	33.7 x 2	80
SHR02-01-002	42.4 x 2	81
SHR02-01-003	42.4 x 2.6	81
SHR02-01-004	48.3 x 2	82
SHR02-01-005	48.3 x 2.6	82



Adjustable Handrail Support-Straight Saddle

Code No.	D	H
SHR02-03-001	33.7 x 2	80
SHR02-03-002	42.4 x 2	81
SHR02-03-003	42.4 x 2.6	81
SHR02-03-004	48.3 x 2	82
SHR02-03-005	48.3 x 2.6	82



Handrail Support-Tube Saddle

Code No.	D	Ø	H
SHR02-02-001	33.7 x 2	33.7	78
SHR02-02-002	33.7 x 2	42.4	78
SHR02-02-003	42.4 x 2	42.4	79
SHR02-02-004	42.4 x 2	48.3	79
SHR02-02-005	42.4 x 2.6	42.4	79
SHR02-02-006	42.4 x 2.6	48.3	79
SHR02-02-007	48.3 x 2	48.3	80
SHR02-02-008	48.3 x 2.6	42.4	80
SHR02-02-009	48.3 x 2.6	48.3	80



Adjustable Handrail Support-Tube Saddle

Code No.	D	Ø	H
SHR02-04-001	33.7 x 2	33.7	78
SHR02-04-002	33.7 x 2	42.4	78
SHR02-04-003	42.4 x 2	42.4	79
SHR02-04-004	42.4 x 2	48.3	79
SHR02-04-005	42.4 x 2.6	42.4	79
SHR02-04-006	42.4 x 2.6	48.3	79
SHR02-04-007	48.3 x 2	48.3	80
SHR02-04-008	48.3 x 2.6	42.4	80
SHR02-04-009	48.3 x 2.6	48.3	80





Handrail Support-Tube Saddle 135°

Code No.	D	Ø	H
SHR02-05-001	33.7 x 2	33.7	78
SHR02-05-002	33.7 x 2	42.4	78
SHR02-05-003	42.4 x 2	42.4	79
SHR02-05-004	42.4 x 2	48.3	79
SHR02-05-005	42.4 x 2.6	42.4	79
SHR02-05-006	42.4 x 2.6	48.3	79
SHR02-05-007	48.3 x 2	48.3	80
SHR02-05-008	48.3 x 2.6	42.4	80



Handrail Support-Tube Saddle 90°

Code No.	D	Ø	H
SHR02-07-001	33.7 x 2	33.7	78
SHR02-07-002	33.7 x 2	42.4	78
SHR02-07-003	42.4 x 2	42.4	79
SHR02-07-004	42.4 x 2	48.3	79
SHR02-07-005	42.4 x 2.6	42.4	79
SHR02-07-006	42.4 x 2.6	48.3	79
SHR02-07-007	48.3 x 2	48.3	80
SHR02-07-008	48.3 x 2.6	42.4	80



Adjustable Handrail Support-Tube Saddle

Code No.	D	Ø	H
SHR02-08-001	42.4 x 2.6	42.4	50-150
SHR02-08-002	42.4 x 2.6	48.3	50-150

Adjustable Handrail Support-Tube Saddle

Code No.	D	Ø	H
SHR02-09-001	42.4 x 2.6	42.4	50-150
SHR02-09-002	42.4 x 2.6	48.3	50-150



Wall Bracket -Straight Saddle

Code No.	Base	Rod
SHR03-01-001	60 x 5	12



Wall Bracket -Tube Saddle

Code No.	Ø	Base	Rod
SHR03-02-001	33.7	60 x 5	12
SHR03-02-002	42.4	60 x 5	12
SHR03-02-003	48.3	60 x 5	12



Wall Bend Bracket -Tube Saddle


Code No.	Ø	Base	Rod
SHR03-04-001	33.7	60 x 5	14
SHR03-04-002	42.4	60 x 5	14
SHR03-04-003	48.3	60 x 5	14



Wall Bend Bracket -Straight Saddle


Code No.	Base	Rod	Bend
SHR03-03-001	60 x 5	14	50 x 74





Wall Bend Bracket -Welded

Code No.	Base	Rod	Bend
SHR03-07-001	60 x 5	14	50 x 74



Wall Bend Bracket -Screwed

Code No.	Base	Rod	Bend
SHR03-08-001	60 x 5	12	50 x 75



Wall Bend Bracket -Straight Saddle

Code No.	Base	Rod	Bend
SHR03-09-001	60 x 5	14	50 x 75



Wall Bend Bracket -Tube Saddle

Code No.	Ø	Base	Rod
SHR03-10-001	33.7	60 x 5	14
SHR03-10-002	42.4	60 x 5	14
SHR03-10-003	48.3	60 x 5	14



Adjustable Wall Bracket -Straight Saddle

Code No.	Base	Rod	Bend
SHR03-11-001	60 x 5	14	50 x 74



Adjustable Wall Bracket -Tube Saddle

Code No.	Ø	Base	Rod
SHR03-12-001	33.7	60 x 5	14
SHR03-12-002	42.4	60 x 5	14
SHR03-12-003	48.3	60 x 5	14



Glass Bracket -Straight Saddle


Code No.	Base	Rod	Bend
	mm	mm	mm
SHR03-13-001	50	14	50 x 77



Glass Bracket -Tube Saddle


Code No.	Ø	Base	Rod
SHR03-14-001	33.7	50	14
SHR03-14-002	42.4	50	14
SHR03-14-003	48.3	50	14






Handrail Bracket-Flat/Tube

Code No.	Ø	H
SHR04-01-001	Flat	80
SHR04-01-002	33.7	80
SHR04-01-003	42.4	80
SHR04-01-004	48.3	80




Adjustable Handrail Bracket-Flat/Tube

Code No.	Ø	H
SHR04-02-001	Flat	80
SHR04-02-002	33.7	80
SHR04-02-003	42.4	80
SHR04-02-004	48.3	80




Handrail Bracket-Tube/Tube

Code No.	D	Ø	H
SHR04-03-001	42.4	Flat	80
SHR04-03-002	42.4	42.4	80
SHR04-03-003	42.4	48.3	80
SHR04-03-004	48.3	Flat	80
SHR04-03-005	48.3	42.4	80
SHR04-03-006	48.3	48.3	80



Adjustable Handrail Bracket-Tube/Tube

Code No.	D	Ø	H
SHR04-04-001	42.4	Flat	80
SHR04-04-002	42.4	42.4	80
SHR04-04-003	42.4	48.3	80
SHR04-04-004	48.3	Flat	80
SHR04-04-005	48.3	42.4	80
SHR04-04-006	48.3	48.3	80





Handrail Wall Bracket-Tube Saddle

Code No.	Ø	H
SHR04-05-001	Flat	80
SHR04-05-002	33.7	80
SHR04-05-003	42.4	80
SHR04-05-004	48.3	80



Adjustable Handrail Wall Bracket-Tube Saddle

Code No.	Ø	H
SHR04-06-001	Flat	80
SHR04-06-002	33.7	80
SHR04-06-003	42.4	80
SHR04-06-004	48.3	80



Handrail Glass Bracket-Tube Saddle


Code No.	Ø	H
SHR04-07-001	Flat	80
SHR04-07-002	33.7	80
SHR04-07-003	42.4	80
SHR04-07-004	48.3	80



Adjustable Handrail Glass Bracket-Tube Saddle

Code No.	Ø	H
SHR04-08-001	Flat	80
SHR04-08-002	33.7	80
SHR04-08-003	42.4	80
SHR04-08-004	48.3	80






Solid End Ball-For Rod

Code No.	D	Ø	H
SHR05-01-001	20	10	18.5
SHR05-01-002	20	12	17.5
SHR05-01-003	20	14	16.5
SHR05-01-004	25	12	23.5
SHR05-01-005	25	14	22.5
SHR05-01-006	30	12	28.5
SHR05-01-007	30	14	27.5




Solid End Ball-For Thread

Code No.	D	G	H
SHR05-03-001	15	M6	13.5
SHR05-03-002	20	M6	18.5
SHR05-03-003	25	M6	23.5
SHR05-03-004	25	M8	23.5
SHR05-03-005	30	M6	28.5
SHR05-03-006	30	M8	28.5
SHR05-03-007	40	M8	38.5
SHR05-03-008	50	M8	48.5




Hollow End Ball

Code No.	D	Ø
SHR05-02-001	45	33.7
SHR05-02-002	55	42.4
SHR05-02-003	60	48.3




Flat End Cap

Code No.	H	Ø
SHR05-04-001	15	10
SHR05-04-002	15	12
SHR05-04-003	15	14




Easy Hit End Cap-Flat

Code No.	Ø	H
SHR05-07-001	33.7 x 2	4
SHR05-07-002	42.4 x 2	4
SHR05-07-003	42.4 x 2.6	4
SHR05-07-004	48.3 x 2	4
SHR05-07-005	48.3 x 2.6	4



Easy Hit End Cap-Arched

Code No.	Ø	H
SHR05-08-001	33.7 x 2	4
SHR05-08-002	42.4 x 2	4
SHR05-08-003	42.4 x 2.6	4
SHR05-08-004	48.3 x 2	4
SHR05-08-005	48.3 x 2.6	4




End Cap-Flat

Code No.	Ø	H
SHR05-05-001	33.7 x 2	4
SHR05-05-002	42.4 x 2	4
SHR05-05-003	42.4 x 2.6	4
SHR05-05-004	48.3 x 2	4
SHR05-05-005	48.3 x 2.6	4



End Cap-Arched

Code No.	Ø	H
SHR05-06-001	33.7 x 2	8
SHR05-06-002	42.4 x 2	9
SHR05-06-003	42.4 x 2.6	9
SHR05-06-004	48.3 x 2	10
SHR05-06-005	48.3 x 2.6	10



Easy Hit End Cap-Dome

Code No.	Ø	H
SHR05-09-001	33.7 x 2	17
SHR05-09-002	42.4 x 2	21
SHR05-09-003	42.4 x 2.6	21
SHR05-09-004	48.3 x 2	24
SHR05-09-005	48.3 x 2.6	24



Welding End Cap-Domed

Code No.	Ø	H
SHR05-10-001	33.7	6
SHR05-10-002	42.4	7
SHR05-10-003	48.3	9.5
SHR05-10-004	60.3	17



Crossbar Holder, Ø 22-Flat

Code No.	Back	Ø
SHR06-01-001	flat	10
SHR06-01-002	flat	12
SHR06-01-003	flat	12.7




Crossbar Holder, Ø 22-Tube

Code No.	Back (D)	Ø
SHR06-02-001	33.7	10
SHR06-02-002	33.7	12
SHR06-02-003	42.4	10
SHR06-02-004	42.4	12
SHR06-02-005	42.4	12.7
SHR06-02-006	48.3	10
SHR06-02-007	48.3	12




Crossbar Holder, Ø 22-Blind Hole Left-Flat

Code No.	Back	Ø
SHR06-05-001	flat	10
SHR06-05-002	flat	12
SHR06-05-003	flat	12.7



Crossbar Holder, Ø 25-Flat

Code No.	Back	Ø
SHR06-03-001	flat	14
SHR06-03-002	flat	16



Crossbar Holder, Ø 25-Tube

Code No.	Back (D)	Ø
SHR06-04-001	33.7	14
SHR06-04-002	42.4	14
SHR06-04-003	42.4	16
SHR06-04-004	48.3	14
SHR06-04-005	48.3	16



Crossbar Holder, Ø 22-Blind Hole Right-Flat

Code No.	Back	Ø
SHR06-06-001	flat	10
SHR06-06-002	flat	12
SHR06-06-003	flat	12.7



Crossbar Holder, Ø 22-Blind Hole Left-Tube

Code No.	Back	Ø
SHR06-07-001	33.7	10
SHR06-07-002	33.7	12
SHR06-07-003	33.7	14
SHR06-07-004	42.4	10
SHR06-07-005	42.4	12
SHR06-07-006	42.4	14
SHR06-07-007	48.3	10
SHR06-07-008	48.3	12
SHR06-07-009	48.3	14



Crossbar Holder, Ø 22-Blind Hole Right-Tube

Code No.	Back	Ø
SHR06-08-001	33.7	10
SHR06-08-002	33.7	12
SHR06-08-003	33.7	14
SHR06-08-004	42.4	10
SHR06-08-005	42.4	12
SHR06-08-006	42.4	14
SHR06-08-007	48.3	10
SHR06-08-008	48.3	12
SHR06-08-009	48.3	14




Crossbar Holder, Ø 22-Double

Code No.	Fixing (D)	Ø
SHR06-13-001	10	10
SHR06-13-002	10	12
SHR06-13-003	10	14
SHR06-13-004	10	16
SHR06-13-005	12	10
SHR06-13-006	12	12
SHR06-13-007	12	14
SHR06-13-008	12	16
SHR06-13-009	14	12
SHR06-13-010	16	12



Crossbar Holder, Ø 25-Double

Code No.	Fixing (D)	Ø
SHR06-14-001	14	14
SHR06-14-002	14	16
SHR06-14-003	16	14
SHR06-14-004	16	16




Connection Crossbar Holder, Ø 22-Flat

Code No.	Back	Ø
SHR06-09-001	flat	10
SHR06-09-002	flat	12




Connection Crossbar Holder, Ø 25-Flat

Code No.	Back	Ø
SHR06-11-001	flat	14




Connection Crossbar Holder, Ø 22-Tube



Code No.	Back (D)	Ø
SHR06-10-001	33.7	10
SHR06-10-002	33.7	12
SHR06-10-003	42.4	10
SHR06-10-004	42.4	12
SHR06-10-005	48.3	12
SHR06-10-006	48.3	14



Connection Crossbar Holder, Ø 25-Tube


Code No.	Back (D)	Ø
SHR06-12-001	42.4	14
SHR06-12-002	48.3	14






Baluster Clamp-Round 45

Code No.	Ø
SHR07-01-001	33.7
SHR07-01-002	42.4
SHR07-01-003	48.3





Baluster Clamp-Round 60

Code No.	Ø
SHR07-02-001	33.7
SHR07-02-002	42.4
SHR07-02-003	48.3




Baluster Clamp-Long

Code No.	Ø	L
SHR07-03-001	33.7	45
SHR07-03-002	42.4	45
SHR07-03-003	48.3	45
SHR07-03-004	33.7	60
SHR07-03-005	42.4	60
SHR07-03-006	48.3	60




Baluster Clamp-Corner

Code No.	Ø
SHR07-05-001	33.7
SHR07-05-002	42.4
SHR07-05-003	48.3




Tube Clamp

Code No.	Ø	L	B
SHR07-04-001	33.7	35	45
SHR07-04-002	42.4	35	50
SHR07-04-003	48.3	35	55




Wall Flange

Code No.	Ø	D	H
SHR07-06-001	33.7	70	20
SHR07-06-002	42.4	85	25
SHR07-06-003	48.3	95	30



Flange-Without Ring


Code No.	Ø	D
SHR07-07-001	33.7	100
SHR07-07-002	42.4	100
SHR07-07-003	48.3	100



Flange-With Ring

stainless steel AISI304/AISI316, raw surface

Code No.	Ø	D
SHR07-08-001	42.4	105
SHR07-08-002	48.3	115



Post Base


Code No.	D	Ø	H
SHR07-09-001	125	42.4	8
SHR07-09-002	125	48.3	8






Post Insert Base Plate

Code No.	D	Ø
SHR07-12-001	80	33.7
SHR07-12-002	80	42.4
SHR07-12-003	100	42.4
SHR07-12-004	100	48.3
SHR07-12-005	120	42.4



Articulated Elbow Base Plate

Code No.	D	Ø	H
SHR07-13-001	80	33.7x 2.0	45
SHR07-13-002	80	42.4x 2.0	63
SHR07-13-003	80	42.4x 2.6	63
SHR07-13-004	100	48.3x 2.0	70
SHR07-13-005	100	48.3x 2.6	70




Wall Bracket

Code No.	H
SHR07-14-001	30
SHR07-14-002	40
SHR07-14-003	50




Code No.	D	B	B2	H	Ø
SHR07-15-001	55	100	70	95	33.7
SHR07-15-002	65	120	85	110	42.4
SHR07-15-003	75	120	85	110	48.3






Sheet Adapter, Ø 25-Flat

Code No.	Ø
SHR08-01-001	Flat




Sheet Adapter, Ø 32-Flat

Code No.	Ø
SHR08-03-001	Flat




Sheet Adapter, Ø 25-Tube

Code No.	Ø
SHR08-02-001	33.7
SHR08-02-002	42.4
SHR08-02-003	48.3




Sheet Adapter, Ø 32-Tube

Code No.	Ø
SHR08-04-001	42.4
SHR08-04-002	48.3




Glass Adapter, Ø 30-Flat

Code No.	Ø
SHR08-05-001	Flat




Glass Adapter, Ø 30-Tube

Code No.	Ø
SHR08-06-001	33.7
SHR08-06-002	42.4
SHR08-06-003	48.3




Glass Adapter, Ø 50-Flat

Code No.	Ø
SHR08-07-001	Flat



Glass Adapter, Ø 50-Tube

Code No.	Ø
SHR08-08-001	33.7
SHR08-08-002	42.4
SHR08-08-003	48.3




Glass Adapter, Ø 50Flat


Code No.	H
SHR08-09-001	10
SHR08-09-002	30
SHR08-09-003	40
SHR08-09-004	50



Glass Adapter, Ø 50Flat

Code No.	H	T
SHR08-11-001	30	8-18
SHR08-11-002	40	8-21.52
		8-21.52





Adapter-Flat

Code No.	D
SHR09-01-001	33.7 x 2
SHR09-01-002	42.4 x 2
SHR09-01-003	42.4 x 2.6
SHR09-01-004	48.3 x 2
SHR09-01-005	48.3 x 2.6





Adapter-Tube

Code No.	D	Ø
SHR09-02-001	33.7 x 2	33.7
SHR09-02-002	33.7 x 2	42.4
SHR09-02-003	42.4 x 2	42.4
SHR09-02-004	42.4 x 2	48.3
SHR09-02-005	42.4 x 2.6	42.4
SHR09-02-006	42.4 x 2.6	48.3
SHR09-02-007	48.3 x 2	48.3
SHR09-02-008	48.3 x 2.6	42.4
SHR09-02-009	48.3 x 2.6	48.3



Slotted Tube Connector 90°-Vertical

Code No.	D
SHR10-01-001	42.4 x 1.5
SHR10-01-002	48.3 x 1.5




Slotted Tube Connector-Tee

Code No.	D
SHR10-03-001	42.4 x 1.5
SHR10-03-002	48.3 x 1.5



Slotted Tube Connector 90°-Horizontal

Code No.	D
SHR10-02-001	42.4 x 1.5
SHR10-02-002	48.3 x 1.5



Slotted Wall Flange

Code No.	D
SHR10-04-001	42.4 x 1.5
SHR10-04-002	48.3 x 1.5




Slotted Adjustable Tube Connector -Downwards

Code No.	D
SHR10-05-001	42.4 x 1.5
SHR10-05-002	48.3 x 1.5



Slotted Tube Adaptor

Code No.	D
SHR10-07-001	42.4 x 1.5
SHR10-07-002	48.3 x 1.5



Slotted Adjustable Tube Connector -Upwards

Code No.	D
SHR10-06-001	42.4 x 1.5
SHR10-06-002	48.3 x 1.5



Slotted End Cap

Code No.	D
SHR10-08-001	42.4 x 1.5
SHR10-08-002	48.3 x 1.5





Assembly-End Cap-Flat

Code No.	D	Thread
SHR11-01-001	33.7 x 2	M8
SHR11-01-002	42.4 x 2	M8
SHR11-01-003	42.4 x 2.6	M8
SHR11-01-004	48.3 x 2	M8
SHR11-01-005	48.3 x 2.6	M8



Assembly-End Cap-Arched

Code No.	D	Thread
SHR11-02-001	33.7 x 2	M8
SHR11-02-002	42.4 x 2	M8
SHR11-02-003	42.4 x 2.6	M8
SHR11-02-004	48.3 x 2	M8
SHR11-02-005	48.3 x 2.6	M8



Assembly-Fixed Rod

Code No.	ØxTotal Length	Pin Thread	Top Thread
SHR11-03-001	12 x 75	M8	Flat
SHR11-03-002	12 x 75	M8	M6
SHR11-03-003	14 x 75	M8	Flat
SHR11-03-004	14 x 75	M8	M6




Assembly-Flexible Rod

Code No.	ØxTotal Length	Pin Thread	Top Thread
SHR11-04-001	12 x 75	M8	M6
SHR11-04-002	14 x 75	M8	M6



Assembly-Bend Rod

Code No.	Ø x L x W	Pin Thread	Top Thread
SHR11-05-001	12 x 75 x 75	M8	M6-Hole
SHR11-05-002	12 x 75 x 75	M8-Hole	M6-Hole
SHR11-05-003	14 x 75 x 75	M8	M6-Hole
SHR11-05-004	14 x 75 x 75	M8-Hole	M6-Hole



Assembly-Handrail Connecting Plate-Flat

Code No.	Size
SHR11-06-001	63 x 25 x 4



Assembly-Handrail Connecting Plate-Tube

Code No.	Size	Ø
SHR11-07-001	63 x 25 x 4	33.7
SHR11-07-002	63 x 25 x 4	42.4
SHR11-07-003	63 x 25 x 4	48.3



Assembly-Handrail Connecting Plate-90°

Code No.	Size	Ø
SHR11-08-001	63 x 25 x 4	Flat
SHR11-08-002	64 x 25 x 4	33.7
SHR11-08-003	65 x 25 x 4	42.4
SHR11-08-004	66 x 25 x 4	48.3

Assembly-Handrail Connecting Plate-135°

Code No.	Size	Ø
SHR11-09-001	63 x 25 x 4	Flat
SHR11-09-002	64 x 25 x 4	33.7
SHR11-09-003	65 x 25 x 4	42.4
SHR11-09-004	66 x 25 x 4	48.3




Base Plate- 2 Screw holes

Code No.	Dia	Thickness	Ø
SHR07-10-001	70	5	12
SHR07-10-002	100	6	42.4

Base Plate- 3 Screw holes


Code No.	Dia	Thickness	Ø
SHR07-11-001	70	5	12
SHR07-11-002	80	6	12
SHR07-11-003	80	6	42.4
SHR07-11-004	120	6	42.4





Square Tube Handrail Support

Code No.	D	Ø
SHR12-09-001	40 x 40 x 2	flat
SHR12-09-002	40 x 40 x 2	42.4



Square Fixed Rod

Code No.	Size	Thread
SHR12-11-001	14 x 14 x 68	M6-M10




Square Tube Connector 90°

Code No.	For Tube (Ø)
SHR12-01-001	40 x 40 x 2




Adjustable Square Tube Connector

Code No.	For Tube (Ø)
SHR12-03-001	40 x 40 x 2



Adjustable Square Tube Handrail Support

Code No.	D	Ø
SHR12-10-001	40 x 40 x 2	flat
SHR12-10-002	40 x 40 x 2	42.4




Square Flexible Rod

Code No.	Size	Thread
SHR12-12-001	14 x 14 x 68	M6-M10




Square Tube Connector-In Line

Code No.	For Tube (Ø)
SHR12-02-001	40 x 40 x 2




Square Tube End Cap

Code No.	D
SHR12-04-001	40 x 40 x 2




Adjustable Square Handrail Bracket

Code No.	Ø	H
SHR12-13-001	flat	92
SHR12-13-002	42.4	92
SHR12-13-003	48.3	92




Adjustable Square Handrail Glass Bracket

Code No.	Ø	H
SHR12-15-001	flat	92
SHR12-15-002	42.4	92
SHR12-15-003	48.3	92




Square Tube Flange

Code No.	D
SHR12-05-001	40 x 40 x 2



Square Tube Cover Plate

Code No.	D	Size
SHR12-07-001	40 x 40 x 2	108 x 108 x 1.5





Square Tube Base Plate

Code No.	D	Size
----------	---	------



Square Tube Baluster Clamp

Code No.	D
	40 x 40 x 2





Adjustable Square Handrail Wall Bracket

Code No.	Ø	H
SHR12-14-001	flat	92
SHR12-14-002	42.4	92
SHR12-14-003	48.3	92

Square tube fixed bracket



Code No.	□
SHR12-15-001	40x40





Round Base Cover



Code No.	D	Ø	H
SHR13-01-001	85	42.4	13
SHR13-01-002	105	33.7	18
SHR13-01-003	105	42.4	18
SHR13-01-004	105	48.3	18
SHR13-01-005	125	42.4	16
SHR13-01-006	125	42.4	18
SHR13-01-007	125	48.3	18



Round Base Cover

Code No.	D	Ø	H
SHR13-02-001	76	12	12
SHR13-02-002			12
SHR13-02-003			12
SHR13-02-004			12






Glass Clamp Small D

Code No.	Back	Rubber No.	Glass Thickness
SHG01-0000	flat	SHG01-6000	6
SHG01-0337	33.7	SHG01-6760	6.76
SHG01-0424	42.4	SHG01-8000	8
SHG01-0483	48.3	SHG01-1000	10



Glass Clamp Medium D

Code No.	Back	Rubber No.	Glass Thickness
SHG02-0000	flat	SHG02-6000	6
		SHG02-6760	6.76
SHG02-0424	42.4	SHG02-8000	8
		SHG02-8760	8.76
SHG02-0483	48.3	SHG02-9520	9.52
		SHG02-1000	10



Glass Clamp Medium D Wide

Code No.	Back	Rubber No.	Glass Thickness
SHG03-0000	flat	SHG03-1076	10.76
SHG03-0424	42.4	SHG03-1152	11.52
SHG03-0483	48.3	SHG03-1200	12
		SHG03-1276	12.76



Glass Clamp Small Square


Code No.	Back	Rubber No.	Glass Thickness
SHG04-0000	flat	SHG04-6000	6
		SHG04-6760	6.76
SHG04-0424	42.4	SHG04-8000	8
		SHG04-8760	8.76
SHG04-0483	48.3	SHG04-9520	9.52
		SHG04-1000	10

pls order rubber gaskets together with clamps

Glass Clamp Medium Square

Code No.	Back	Rubber No.	Glass Thickness
SHG05-0000	flat	SHG05-8000	8
		SHG05-8760	8.76
		SHG05-9520	9.52
SHG05-0424	42.4	SHG05-1000	10
		SHG05-1076	10.76
		SHG05-1152	11.52
SHG05-0483	48.3	SHG05-1200	12
		SHG05-1276	12.76


pls order rubber gaskets together with clamps



Glass Clamp Large Square Zinc Alloy, Chrome/Nickel plated

Code No.	Back	Rubber No.	Glass Thickness
SHG06-0000	flat	SHG06-9520	9.52
		SHG06-1152	11.52
		SHG06-1200	12
		SHG06-1276	12.76
		SHG06-1352	13.52
SHG06-0483	48.3	SHG06-1500	15
		SHG06-1676	16.76
		SHG06-1752	17.52


pls order rubber gaskets together with clamps



Glass Clamp Small Square



Code No.	Back	Rubber No.	Glass Thickness
SHG07-0000	flat	SHG07-6000	6
		SHG07-6760	6.76
SHG07-0001	42.4	SHG07-8000	8
		SHG07-8760	8.76
SHG07-0002	48.3	SHG07-9520	9.52
		SHG07-1000	10





Code No.	L	H	T	Tube
SPG01-0000	960	130	6/8/10	42.4
SPG01-0001	1050	220	6/8/10	42.4

Code No.	L	H	T	Tube
SPG02-0000	960	130	6/8/10	42.4
SPG02-0001	1050	220	6/8/10	42.4




Code No.	L	H	T	Tube
SPG03-0000	960	130	6/8/10	42.4
SPG03-0001	1050	220	6/8/10	42.4




Code No.	L	H	T	Tube
SPG04-0000	1180	362	6/8/10	42.4
SPG04-0001	1330	512	6/8/10	42.4

Code No.	L	H	T	Tube
SPG05-0000	1180	362	6/8/10	42.4
SPG05-0001	1330	512	6/8/10	42.4




Code No.	L	H	T	□
SPG06-0000	960	130	6/8/10	40
SPG06-0001	1050	220	6/8/10	40

Code No.	L	H	T	□
SPG07-0000	960	130	6/8/10	40
SPG07-0001	1050	220	6/8/10	40




Code No.	L	H	T	□
SPG08-0000	960	130	6/8/10	40
SPG08-0001	1050	220	6/8/10	40




Code No.	L	L2	Bar Holder	Tube
SPG09-0000	960		10mm×3	42.4
SPG09-0001	960	512	10mm×4	42.4
SPG09-0002	960		10mm×5	42.4
SPG09-0003	960	512	10mm×6	42.4
SPG09-0004	960		10mm×7	42.4
SPG09-0005	960	512	12mm×3	42.4
SPG09-0006	960		12mm×4	42.4
SPG09-0007	960	512	12mm×5	42.4
SPG09-0008	960		12mm×6	42.4
SPG09-0009	960	512	12mm×7	42.4

Code No.	L	L2	Bar Holder	Tube	M
SPG10-0000	1050	-	10mm×3	42.4	-
SPG10-0001	1050	-	10mm×4	42.4	-
SPG10-0002	1050	-	10mm×5	42.4	-
SPG10-0003	1050	-	10mm×6	42.4	-
SPG10-0004	1050	-	10mm×7	42.4	-
SPG10-0005	1050	-	12mm×3	42.4	-
SPG10-0006	1050	-	12mm×4	42.4	-
SPG10-0007	1050	-	12mm×5	42.4	-
SPG10-0008	1050	-	12mm×6	42.4	-
SPG10-0009	1050	-	12mm×7	42.4	-



Code No.	L	L2	Bar Holder	Tube
SPG11-0000	1180	-	10mm×3	42.4
SPG11-0001	1180	-	10mm×4	42.4
SPG11-0002	1180	-	10mm×5	42.4
SPG11-0003	1180	-	10mm×6	42.4
SPG11-0004	1180	-	10mm×7	42.4
SPG11-0005	1180	-	12mm×3	42.4
SPG11-0006	1180	-	12mm×4	42.4
SPG11-0007	1180	-	12mm×5	42.4
SPG11-0008	1180	-	12mm×6	42.4
SPG11-0009	1180	-	12mm×7	42.4





Code No.	L	L2	Bar Holder	Tube
SPG12-0000	1330	-	10mm×3	42.4
SPG12-0001	1330	-	10mm×4	42.4
SPG12-0002	1330	-	10mm×5	42.4
SPG12-0003	1330	-	10mm×6	42.4
SPG12-0004	1330	-	10mm×7	42.4
SPG12-0005	1330	-	12mm×3	42.4
SPG12-0006	1330	-	12mm×4	42.4
SPG12-0007	1330	-	12mm×5	42.4
SPG12-0008	1330	-	12mm×6	42.4
SPG12-0009	1330	-	12mm×7	42.4

Code No.	L	L2	Bar Holder	Tube	M
SPG13-0000	1180	-	10mm×3	42.4	-
SPG13-0001	1180	-	10mm×4	42.4	-
SPG13-0002	1180	-	10mm×5	42.4	-
SPG13-0003	1180	-	10mm×6	42.4	-
SPG13-0004	1180	-	10mm×7	42.4	-
SPG13-0005	1180	-	12mm×3	42.4	-
SPG13-0006	1180	-	12mm×4	42.4	-
SPG13-0007	1180	-	12mm×5	42.4	-
SPG13-0008	1180	-	12mm×6	42.4	-
SPG13-0009	1180	-	12mm×7	42.4	-



Code No.	L	L2	Bar Holder	Tube
SPG14-0000	1330	-	10mm×3	42.4
SPG14-0001	1330	-	10mm×4	42.4
SPG14-0002	1330	-	10mm×5	42.4
SPG14-0003	1330	-	10mm×6	42.4
SPG14-0004	1330	-	10mm×7	42.4
SPG14-0005	1330	-	12mm×3	42.4
SPG14-0006	1330	-	12mm×4	42.4
SPG14-0007	1330	-	12mm×5	42.4
SPG14-0008	1330	-	12mm×6	42.4
SPG14-0009	1330	-	12mm×7	42.4



RIGGING SCREW JAW & SWAGE (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	WIRE	L1	L2	A
	G	mm	mm	mm	mm
SH01-001-001	M4	2	188	136	6.5
SH01-001-002	M5	2	206	152	8
SH01-001-003	M5	2.5	206	152	8
SH01-001-004	M6	3	232	170	10
SH01-001-005	M6	4	242	180	10
SH01-001-006	M8	4	275	180	10
SH01-001-007	M8	4	281	205	11
SH01-001-008	M10	5	312	228	11
SH01-001-009	M10	6	327	232	12
SH01-001-010	M12	6	393	287	14
SH01-001-011	M14	7	439	319	18
SH01-001-012	M16	8	499	366	18
SH01-001-013	M20	10	587	427	24
SH01-001-014	M20	12	606	446	24
SH01-001-015	M22	14	736	555	30
SH01-001-016	M24	14	874	641	30



RIGGING SCREW JAW & JAW (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	UNF	L1	L2	L3	A
	G	mm	mm	mm	mm	mm
SH01-002-001	1/4	200	138	232	7.5	
SH01-002-002	5/16	234	158	242	9.5	
SH01-002-003	3/8	272	188	274	11	
SH01-002-004	7/16	350	244	310	12	
SH01-002-005	1/2	350	244	350	14	
SH01-002-006	5/8	446	313	447	18	
SH01-002-007	3/4	550	390	548	24	
SH01-002-008	7/8	653	472	652	30	
SH01-002-009	1	769	536	766	30	



RIGGING SCREW JAW & JAW (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	L1	L2	L3	A
	G	mm	mm	mm	mm
SH01-003-001	M4	156	106	156	7
SH01-003-002	M5	180	126	180	8
SH01-003-003	M6	200	138	200	8
SH01-003-004	M6	202	140	202	10
SH01-003-005	M8	234	158	234	10
SH01-003-006	M8	240	166	240	11
SH01-003-007	M10	272	188	272	11
SH01-003-008	M10	280	196	280	12
SH01-003-009	M12	350	244	350	14
SH01-003-010	M14	387	267	403	18
SH01-003-011	M16	446	313	446	18
SH01-003-012	M20	550	390	550	24
SH01-003-013	M22	653	472	653	30
SH01-003-014	M24	769	536	769	30



RIGGING SCREW JAW & SWAGE (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	WIRE	L1	L2	A	D	B.L.
	G	mm	mm	mm	mm	mm	kg
SH01-004-001	1/4	3	233	170	10	5	1300
SH01-004-002	1/4	4	242	180	10	5	1300
SH01-004-003	5/16	4	275	199	10	6	2350
SH01-004-004	3/8	5	306	222	11	8	3500
SH01-004-005	3/8	6	314	230	12	8	3500
SH01-004-006	7/16	5	362	272	14	-	4700
SH01-004-007	7/16	6	367	277	14	12	4700
SH01-004-008	1/2	6	393	287	14	-	5400
SH01-004-009	1/2	7	393	287	-	12	5400
SH01-004-010	5/8	8	499	366	18	14	8000
SH01-004-011	3/4	10	587	427	-	19	13000
SH01-004-012	3/4	10	587	427	24	-	13000
SH01-004-013	3/4	12	602	442	24	-	13000
SH01-004-014	7/8	14	736	555	30	-	17000
SH01-004-015	1	25.4	843	613	30	-	24000
SH01-004-016	1	25.4	871	641	30	25	24000



RIGGING SCREW SWAGE & TOGGLE (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	A	B	C	D	B.L.
	G	mm	mm	mm	mm	kg
SH01-005-001	6	6.35	191	253	3	1300
SH01-005-002	6	6.35	201	263	4	1300
SH01-005-003	8	8	228	304	4	2350
SH01-005-004	8	8	234	310	5	2350
SH01-005-005	10	9.5	258	342	5	3500
SH01-005-006	10	9.5	268	350	6	3500
SH01-005-007	11	11	273	357	6	4700
SH01-005-008	11	11	310	400	7	5400
SH01-005-009	12	12.7	315	421	8	5400
SH01-005-010	12	12.7	323	429	7	5400
SH01-005-011	12	12.7	338	444	8	8000
SH01-005-012	16	16	413	545	8	13000
SH01-005-013	20	19	461	621	10	1300
SH01-005-014	20	19	498	656	12	27000
SH01-005-015	22	22	598	779	14	31000
SH01-005-016	25	25.4	694	923	16	43000



RIGGING SCREW SWAGE & TOGGLE (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	Size	A	B	D	C	B.L.
	G	mm	mm	mm	inch	kg
SH01-006-001	1/4	6.35	191	253	1/8	1300
SH01-006-002	1/4	6.35	201	263	5/32	1300
SH01-006-003	5/16	8	228	304	5/32	2350
SH01-006-004	5/16	8	234	310	3/16	2350
SH01-006-005	3/8	9.5	266	350	3/16	3500
SH01-006-006	3/8	9.5	273	357	7/32	3500
SH01-006-007	7/16	11	310	400	9/32	4700
SH01-006-008	1/2	12.7	315	421	1/4	5400
SH01-006-009	1/2	12.7	315	421	9/32	5400
SH01-006-010	1/2	12.7	323	429	5/16	5400
SH01-006-011	5/8	16	413	545	5/16	8000
SH01-006-012	3/4	19	461	621	3/8	13000
SH01-006-013	3/4	19	461	621	1/2	13000
SH01-006-014	1-1/8	28	466	636	3/4	27000
SH01-006-015	1-1/4	32	882	172	7/8	31000
SH01-006-016	1-3/8	36	993	1303	1	43000



MACHINED RIGGING SCREW TOGGLE & TOGGLE

Stainless Steel AISI 304 and AISI 316, Highly Polished



ART.NO.	Size	A	BD	C	B.L.
	inch	mm	mm	mm	mm
SH01-007-001	1/4	6.35	157	222	8
SH01-007-002	5/16	8	192	268	10
SH01-007-003	3/8	9.5	222	306	12
SH01-007-004	7/16	11	257	347	15
SH01-007-005	1/2	12.7	272	378	18
SH01-007-006	5/8	15.9	361	493	20
SH01-007-007	3/4	19	422	582	24
SH01-007-008	7/8	22	515	695	26
SH01-007-009	1	25.4	589	818	29




MACHINED RIGGING SCREW JAW & JAW

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	Size	A	B	C	B.L.
	G	mm	mm	mm	kg
SH01-008-001	M20	19	492	646	13000
SH01-008-002	M22	22	565	745	17000
SH01-008-003	M24	25	630	863	20000
SH01-008-004	M27	28	728	963	25500
SH01-008-005	M30	32	820	1082	31000
SH01-008-006	M36	35	912	1186	43000






THREAD TERMINAL (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.		GWIRE DIA.			L1	L2	L3	D	BL
R	L	UNF	mm	inch	mm	mm	mm	mm	kg
SH02-002-001	SH02-004-001	1/4"	3	1/8	100	38	48	6.35	1300
SH02-003-002	SH02-004-002	1/4"	4	5/32	110	45	48	7.5	1300
SH02-003-003	SH02-004-003	5/16"	4	5/32	117	45	57	7.5	2350
SH02-003-004	SH02-004-004	5/16"	5	3/16	123	51	57	9	2350
SH02-003-005	SH02-004-005	3/8"	5	3/16	130	51	63	9	3500
SH02-003-006	SH02-004-006	3/8"	6	-	145	64	63	12.58	3500
SH02-003-007	SH02-004-007	3/8"	-	1/4	145	64	63	12.58	3500
SH02-003-008	SH02-004-008	1/2"	6	-	162	64	80	12.58	5400
SH02-003-009	SH02-004-009	1/2"	-	1/4	162	64	80	12.58	5400
SH02-003-010	SH02-004-010	1/2"	7	9/32	170	70	80	14.2	5400
SH02-003-011	SH02-004-011	1/2"	8	5/16	185	83	80	16	5400
SH02-003-012	SH02-004-012	5/8"	8	5/16	203	83	100	16	8000
SH02-003-013	SH02-004-013	5/8"	-	3/8	210	89	100	17.8	8000
SH02-003-014	SH02-004-014	5/8"	10	-	212	89	100	17.8	8000
SH02-003-015	SH02-004-015	3/4"	-	3/8	230	89	120	17.8	13000
SH02-003-016	SH02-004-016	3/4"	10	-	230	89	120	17.8	13000
SH02-003-017	SH02-004-017	3/4"	12	-	265	120	120	21.4	13000
SH02-003-018	SH02-004-018	3/4"	-	1/2	266	120	120	21.4	13000
SH02-003-019	SH02-004-019	7/8"	14	-	308	140	140	25	17000
SH02-003-020	SH02-004-020	1"	16	5/8	363	160	170	28	24000
SH02-003-021	SH02-004-021	1-1/8"	19	3/4	425	200	180	34.5	25500
SH02-003-022	SH02-004-022	1-1/4"	22	7/8	480	230	200	40.5	31000
SH02-003-023	SH02-004-023	1-3/8"	26	1	550	280	220	46	43000



THREAD TERMINAL (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.		G WIRE DIA.		L1	L2	L3	D	A	NV	BL
R	L	mm	mm	mm	mm	mm	mm	mm	mm	kg
SH02-001-001	SH02-002-001	5	2	87	32	42	5.5	2.2	4.5	800
SH02-001-002	SH02-002-002	5	2.5	87	32	42	5.5	2.8	4.5	800
SH02-001-003	SH02-002-003	6	3	100	38	48	6.35	3.5	5	1300
SH02-001-004	SH02-002-004	6	4	110	45	48	7.5	4.4	6	1300
SH02-001-005	SH02-002-005	8	4	117	45	57	7.5	4.4	6	2350
SH02-001-006	SH02-002-006	8	5	125	51	57	9	5.3	7	2350
SH02-001-007	SH02-002-007	10	5	130	51	63	9	5.3	7	3500
SH02-001-008	SH02-002-008	10	6	145	64	63	12.58	6.5	11	3500
SH02-001-009	SH02-002-009	12	6	162	64	80	12.58	6.5	11	5100
SH02-001-010	SH02-002-010	14	7	180	70	89	14.2	7.5	12	5900
SH02-001-011	SH02-002-011	16	8	203	83	100	16	8.4	14	8000
SH02-001-012	SH02-002-012	20	10	230	89	120	17.8	10.5	15	13000
SH02-001-013	SH02-002-013	20	12	249	105	120	20	12.5	17	13000
SH02-001-014	SH02-002-014	20	12	265	120	120	21.4	12.5	19	13000
SH02-001-015	SH02-002-015	22	14	308	140	140	25	14.8	22	17000
SH02-001-016	SH02-002-016	24	16	363	160	170	28	17	25	23000
SH02-001-017	SH02-002-017	27	19	425	200	180	34.5	20	30	25500
SH02-001-018	SH02-002-018	30	22	480	230	200	40.5	23.5	36	31000
SH02-001-019	SH02-002-019	36	26	550	280	220	46	27.5	41	43000




EYE THREAD TERMINAL (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	G	D1	D2	L1	L2	B	BL
	mm	mm	mm	mm	mm	mm	kg
SH02-008-001	M4	4.3	10	50	35	3	500
SH02-008-002	M5	5.5	12	63	41	3	800
SH02-008-003	M6	6.5	14	65	47	4	1250
SH02-008-004	M8	8.5	17	78	57	5	2000
SH02-008-005	M10	10.5	22	90	63	6	3500
SH02-008-006	M12	13	25	110	80	8	5100
SH02-008-007	M14	13	28	124	90	9	5900
SH02-008-008	M16	14.5	31	133	100	10	8000
SH02-008-009	M20	19.5	40	164	120	15	13000
SH02-008-010	M22	23	46	196	140	18	17000
SH02-008-011	M24	26	53	230	170	20	20000
SH02-008-012	M27	28.5	65	247	180	25	25500
SH02-008-013	M30	33	70	274	200	30	31000
SH02-008-014	M36	36	80	295	220	30	43000






INSIDE THREAD TERMINAL

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.		G	WIRE	L1	L2	L3	L4	D1	D2	A
R	L	mm	mm	mm	mm	mm	mm	mm	mm	mm
SH02-005-001	SH02-006-001	M4	2.5	64	32	15	25	5.5	5.5	2.8
SH02-005-002	SH02-006-002	M5	3	77	38	20	30	6.35	6.35	3.5
SH02-005-003	SH02-006-003	M5	3	92	38	35	45	6.35	6.35	3.5
SH02-005-004	SH02-006-004	M6	4	84	45	20	30	8	7.5	4.4
SH02-005-005	SH02-006-005	M6	4	99	45	35	45	8	7.5	4.4
SH02-005-006	SH02-006-006	M6	5	90	51	20	30	9	9	5.3
SH02-005-007	SH02-006-007	M6	5	105	51	35	45	9	9	5.3
SH02-005-008	SH02-006-008	M8	5	112	51	40	53	12.58	9	5.3
SH02-005-009	SH02-006-009	M8	6	110	64	25	35	12.58	12.58	6.5
SH02-005-010	SH02-006-010	M8	6	126	64	40	50	12.58	12.58	6.5
SH02-005-011	SH02-006-011	M10	6	127	64	40	53	16	12.58	6.5
SH02-005-012	SH02-006-012	M10	8	140	83	40	50	16	16	8.4
SH02-005-013	SH02-006-013	M12	8	147	83	40	50	18	16	8.4
SH02-005-014	SH02-006-014	M12	10	150	89	40	53	17.8	17.8	10.5
SH02-005-015	SH02-006-015	M16	10	152	89	40	50	22	17.8	10.5



INSIDE THREAD TERMINAL MACHINED

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	SIZE	D1	L1	L2	L4	D3	A
	G	mm	mm	mm	mm	mm	mm
SH02-013-001	M5	5	34	24	6	8	5.5
SH02-013-002	M6	6	44	30	8.5	8	6.5
SH02-013-003	M8	8	52	35	11	11	8.5




EYE THREAD TERMINAL (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	G	D1	D2	L1	L2	B	BL
	UNF	mm	mm	mm	mm	mm	kg
SH02-009-001	1/4"	6.5	14	65	47	4	1300
SH02-009-002	5/16"	8.5	17	78	57	5	2350
SH02-009-003	3/8"	10.5	22	89	63	6	3500
SH02-009-004	7/16"	13	25	92	80	8	4700
SH02-009-005	7/16"	11.5	24	98	80	8	4700
SH02-009-006	1/2"	13.2	28	105	100	10	5400
SH02-009-007	5/8"	16.5	36	141	110	12	8000
SH02-009-008	3/4"	19.5	40	165	120	16	13000
SH02-009-009	7/8"	23	47	197	140	18	17000
SH02-009-010	1"	26	52	230	170	20	24000
SH02-009-011	1-1/8"	28.5	65	247	180	25	25500
SH02-009-012	1-1/4"	32.5	70	274	200	30	31000
SH02-009-013	1-3/8"	35.5	75	297	220	30	43000





FORK TERMINAL WELDED

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	WIRE DIA.		D1	D	L1	L2	A	L3	BL
	mm	inch							
SH02-010-001	2	1/16	5	5.5	58	12	7.5	32	800
SH02-010-002	2.5	3/32	5	5.5	58	12	7.5	32	800
SH02-010-003	3	1/8	5	6.35	67	12	7.5	38	800
SH02-010-004	3	1/8	6	6.35	68	13	9.5	38	1300
SH02-010-005	4	5/32	5	7.5	71	12	7.5	45	800
SH02-010-006	4	5/32	6	7.5	73	13	9.5	45	1300
SH02-010-007	4	5/32	8	7.5	77	15	11	45	2350
SH02-010-008	5	3/16	8	9	87	15	11	51	2350
SH02-010-009	5	3/16	9.5	9	91	19	12	51	3500
SH02-010-010	6	-	9.5	12.58	104	19	12	64	3500
SH02-010-011	6	-	11	12.58	108	23	13	64	4700
SH02-010-012	6	-	12	12.58	110	25	14	64	5400
SH02-010-013	7	9/32	12	14.2	119	25	14	70	5400



THREAD FORK TERMINAL WELDED


Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	SIZE	D1	L1	L2	L3
SH02-015-001	M5	5	49	30	12
SH02-015-002	M6	5	54	35	12
SH02-015-003	M6	6	56	35	13
SH02-015-004	M8	8	65	40	15

EYE TERMINAL (METRIC)

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	WIRE DIA.		D1	D2	D3	L1	L2	A
	mm	inch						
SH02-007-001	2	1/16	2.2	5.5	5.5	49	32	3
SH02-007-002	2.5	3/32	2.8	5.5	5.5	49	32	3
SH02-007-003	3	1/8	3.5	6.35	6.5	58	38	4
SH02-007-004	4	5/32	4.4	7.5	8.5	67	45	5
SH02-007-005	5	3/16	5.3	9	10.5	79	51	6
SH02-007-006	6	-	6.5	12.58	13	94	64	8
SH02-007-007	8	-	6.5	12.58	13.2	105	64	10
SH02-007-008	7	9/32	7.5	14.2	13	104	70	9
SH02-007-009	7	9/32	7.5	14.2	13.2	110	70	10
SH02-007-010	8	5/16	8.4	16	16.5	141	83	12
SH02-007-011	10	-	10.5	17.8	16.3	137	89	11
SH02-007-012	10	-	10.5	17.8	16.3	165	100	16
SH02-007-013	12	-	10.5	17.8	19.5	165	100	16
SH02-007-014	12	-	12.5	20	19.3	156	105	15
SH02-007-015	14	-	12.5	21.4	19.3	178	120	15
SH02-007-016	16	-	14.8	25	23	206	140	18
SH02-007-017	19	3/4	17	28	26	232	160	20
SH02-007-018	22	-	20	34.5	28.5	302	200	25
SH02-007-019	26	-	23.5	40.4	33	348	230	30



WELDED FORK TERMINAL (METRIC)



Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	D2	A	D	L1	L3	BL
	mm	mm	mm	mm	mm	kg
SH02-016-001	2	7.5	5	58	32	800
SH02-016-002	2.5	7.5	5	58	32	800
SH02-016-003	3	7.5	5	67	38	800
SH02-016-004	3	9.5	6	68	38	1250
SH02-016-005	4	7.5	5	71	45	800
SH02-016-006	4	9.5	6	73	45	1250
SH02-016-007	4	11	8	79	45	2350
SH02-016-008	5	11	8	87	51	2350
SH02-016-009	5	12	9.5	91	51	3500
SH02-016-010	6	12	9.5	104	64	3500
SH02-016-011	6	12	11	108	64	4700
SH02-016-012	6	14	12	110	64	5100
SH02-016-013	7	14	12	119	70	5100
SH02-016-014	8	14	12	136	83	5100
SH02-016-015	8	18	16	145	83	8000
SH02-016-016	10	18	16	151	89	8000
SH02-016-017	10	24	19	168	89	13000
SH02-016-018	12	24	19	205	120	13000
SH02-016-019	14	30	22	232	140	17000
SH02-016-020	14	30	25.4	235	140	24000
SH02-016-021	16	30	25.4	264	160	24000

THREAD FORK TERMINAL MACHINED

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	SIZE	D1	L1	L2
	G	mm	mm	mm
SH02-014-001	M5	5	42.5	6
SH02-014-002	M6	6	48	8.5
SH02-014-003	M8	8	61	11



WELDED FORK TERMINAL (UNF)

Stainless Steel AISI 304 and AISI 316, Highly Polished


ART.NO.	D2	A	D	L1	L3	BL
	UNF	mm	mm	mm	mm	kg
SH02-017-001	1/16"	7.5	5	58	32	800
SH02-017-002	3/32"	7.5	5	58	32	800
SH02-017-003	1/8"	7.5	5	67	38	800
SH02-017-004	1/8"	9.5	6	68	38	1250
SH02-017-005	5/32"	7.5	5	71	45	800
SH02-017-006	5/32"	9.5	6	73	45	1250
SH02-017-007	5/32"	11	8	79	45	2350
SH02-017-008	3/16"	11	8	87	51	2350
SH02-017-009	3/16"	12	9.5	91	51	3500
SH02-017-010	1/4"	12	11	108	64	4700
SH02-017-011	9/32"	14	12	119	70	5100
SH02-017-012	5/16"	14	12	136	83	5100
SH02-017-013	5/16"	18	16	145	83	8000
SH02-017-014	3/8"	18	14	151	89	7600
SH02-017-015	1/2"	24	19	205	120	13000
SH02-017-016	5/8"	30	25.4	264	160	24000



MACHINED THREAD FORK TERMINAL HEAVY DUTY

Stainless Steel AISI 304 and AISI 316, Highly Polished

ART.NO.	SIZE	L1	L2	L3	A	D
	G	mm	mm	mm	mm	PIN
SH02-018-001	22	216	49	140	22	22
SH02-018-002	24	255	52	170	25	15
SH02-018-003	27	274	55	180	30	28
SH02-018-004	30	316	67	200	35	32
SH02-018-005	36	334	67	220	35	35



TOGGLE TERMINAL

Stainless Steel AISI 304 and AISI 316, Highly Polished


WIRE DIA		D1	D2	D3	L1	L2
mm	inch	mm	mm	mm	mm	mm
3	1/8	3.5	6.35	6.4	78	38
4	5/32	4.4	7.5	8	94	45
5	3/16	5.3	9	9.5	113	51
6	-	6.5	12.6	11	145	64
-	1/4	6.8	12.6	11	145	64
6	-	6.5	12.6	12.7	151	64
-	1/4	6.8	12.6	12.7	151	64
7	9/32	7.5	14.2	12.7	157	70
8	5/16	8.4	16	12.7	170	83
10	5/16	10.5	17.8	15.9	198	89
10	-	10.5	17.8	19	228	100
12	-	12.5	21.4	19	243	120
-	1/2	13.5	21.4	19	247	120
14	-	14.8	25	22.2	291	140
16	5/8	17	28	25.4	313	160
20	3/4	20	34.5	28	399	200
22	7/8	23.5	40.4	32	463	230
25	1	27.5	46	36	518	280



TURNBUCKLE JAW & JAW, US TYPE

Stainless Steel AISI 304 and AISI 316, Precision Cast


ART.NO.	Size A	B	C	D	E	WLL
	mm	mm	mm	mm	mm	kg
SH03-001-001	6	102	197	6	11	220
SH03-001-002	8	114	229	6	13	360
SH03-001-003	10	152	270	8	14	550
SH03-001-004	12	152	305	10	16	1000
SH03-001-005	16	152	343	13	19	1550
SH03-001-006	20	152	381	16	25	2350
SH03-001-007	25	152	457	22	32	3600
SH03-001-008	25	305	610	22	32	3600
SH03-001-009	30	305	676	29	48	5650



TURNBUCKLE JAW & EYE, US TYPE

Stainless Steel AISI 304 and AISI 316, Precision Cast


ART.NO.	Size A	B	C	D	E	WLL
	mm	mm	mm	mm	mm	kg
SH03-002-001	6	102	200	8	11	225
SH03-002-002	8	114	235	10	13	350
SH03-002-003	10	152	279	13	14	550
SH03-002-004	12	152	318	19	16	1000
SH03-002-005	16	152	358	22	19	1550
SH03-002-006	20	152	397	25	25	2350
SH03-002-007	25	152	483	35	32	3600
SH03-002-008	25	305	635	35	32	3600
SH03-002-009	30	305	699	43	48	5650



TURNBUCKLE HOOK & EYE, US TYPE


Stainless Steel AISI 304 and AISI 316, Precision Cast

ART.NO.	Size A	B	C	D	E	WLL
	mm	mm	mm	mm	mm	kg
SH03-003-001	6	102	191	8	10	130
SH03-003-002	8	114	216	10	11	225
SH03-003-003	10	152	273	13	13	350
SH03-003-004	12	152	305	19	14	450
SH03-003-005	16	152	343	22	14	725
SH03-003-006	20	152	394	25	23	900



TURNBUCKLE EYE & EYE,EUROPEAN TYPE


Stainless Steel AISI 304 and AISI 316,Precision Cast



ART.NO.	Size	L1	L2	D
	mm	mm	mm	mm
SH03-007-001	4	60	102	4
SH03-007-002	5	70	124	5
SH03-007-003	6	90	155	6
SH03-007-004	8	120	202	8
SH03-007-005	10	150	252	10
SH03-007-006	12	200	325	12
SH03-007-007	16	250	390	16
SH03-007-008	20	300	510	20

TURNBUCKLE JAW & JAW,EUROPEAN TYPE


Stainless Steel AISI 304 and AISI 316,Precision Cast



ART.NO.	Size	L1	L2	D
	mm	mm	mm	mm
SH03-008-001	5	70	114	5
SH03-008-002	6	90	137	6
SH03-008-003	8	120	179	8
SH03-008-004	10	150	220	10
SH03-008-005	12	200	290	12
SH03-008-006	14	170	275	14
SH03-008-007	16	200	328	16
SH03-008-008	20	300	436	20

TURNBUCKLE HOOK & HOOK,EUROPEAN TYPE

Stainless Steel AISI 304 and AISI 316,Precision Cast




ART.NO.	Size	L1	L2	D
	mm	mm	mm	mm
SH03-009-001	4	60	103	4
SH03-009-002	5	70	124	5
SH03-009-003	6	90	170	6
SH03-009-004	8	120	208	8
SH03-009-005	10	150	266	10
SH03-009-006	12	200	335	12
SH03-009-007	16	250	415	16
SH03-009-008	20	300	485	20



CONE TERMINAL


Stainless Steel AISI 304 and AISI 316,Highly Polished



ART.NO.	WIRE DIA.		L1	L2	L3	A	A1
	mm	inch					
SH04-001-001	3	1/8	35	23	32.5	3.5	5.6
SH04-001-002	4	5/32	35	23	32	4.4	6.35
SH04-001-003	5	3/16	41	30	38	5.3	7.5
SH04-001-004	6	1/4	52	40	48.5	6.5	9

INSIDE THREAD TENSIONER HEXAGON SOCKET FLAT HEAD


Stainless Steel AISI 304 and AISI 316,Highly Polished



ART.NO.	G	L1	L2	L3	A1	A2	SOCKET
SH04-002-001	M5	32	30	20	7	10	4
SH04-002-002	M6	32	30	20	8	12	5
SH04-002-003	M8	37	35	25	10	16	6

INSIDE THREAD TENSIONER HEXAGON SOCKET DOME HEAD


Stainless Steel AISI 304 and AISI 316,Highly Polished



ART.NO.	G	L1	L2	L3	A1	A2	B
SH04-003-001	M5	34	30	20	7	12	3
SH04-003-002	M6	35	31	20	8	14	4
SH04-003-003	M8	40	35	25	10	16	5

TENSIONER DOME HEAD (HEAVY DUTY)


Stainless Steel AISI 304 and AISI 316,Highly Polished



ART.NO.	WIRE DIA.		A	L1	L2	L3	A1	A2
	mm	inch						
SH04-004-001	3	1/8	3.5	52	48.5	38	6.4	10
SH04-004-002	4	5/32	4.4	59	55.5	45	7.5	11.5
SH04-004-003	5	3/16	5.3	67	62.5	51	9	14
SH04-004-004	6	1/4	6.5	79	74	64	12.6	18

TENSIONER DOME HEAD

Stainless Steel AISI 304 and AISI 316,Highly Polished



ART.NO.	WIRE DIA.		A	L1	L2	L3
	mm	inch				
SH04-005-001	3	1/8	3.5	35	25	32
SH04-005-002	4	5/32	4.4	35	25	32
SH04-005-003	5	3/16	5.3	41	30	37
SH04-005-004	6	1/4	6.5	52	45	47



HEAVY DUTY THIMBLE G414 STAMPED

Stainless Steel AISI AISI 316, Highly Polished


ART.NO.	Size	A	B	C	D
	inch	inch	inch	inch	inch
SH05-001-001	0.1875	0.71	0.23	1.35	0.05
SH05-001-002	0.25	0.9	0.28	1.6	0.07
SH05-001-003	0.3125	1.08	0.35	1.85	0.07
SH05-001-004	0.375	1.12	0.4	2	0.11
SH05-001-005	0.5	1.52	0.55	2.62	0.15
SH05-001-006	0.5625	1.48	0.62	2.94	0.15
SH05-001-007	0.625	1.78	0.65	3	0.15
SH05-001-008	0.75	2.02	0.85	3.83	0.22
SH05-001-009	0.875	2.3	0.95	4.08	0.22
SH05-001-010	1	2.56	1.12	4.8	0.22
SH05-001-011	1.125	3	1.3	5.87	0.22
SH05-001-012	1.25	3	1.38	6.25	0.22



STANDARD THIMBLE G411 STAMPED

Stainless Steel AISI AISI 316, Highly Polished

ART.NO.	Size	A	B	C	D
	inch	inch	inch	inch	inch
SH05-002-001	1/16-5/64	0.31	0.09	0.62	0.03
SH05-002-002	3/32-1/8	0.38	0.12	0.72	0.03
SH05-002-003	0.15625	0.43	0.14	0.73	0.04
SH05-002-004	0.1875	0.55	0.2	0.78	0.04
SH05-002-005	0.25	0.57	0.25	0.95	0.05
SH05-002-006	0.3125	0.78	0.34	1.4	0.06
SH05-002-007	0.375	0.94	0.42	1.7	0.06
SH05-002-008	0.5	1.2	0.54	1.85	0.07
SH05-002-009	0.625	1.45	0.68	2.37	0.08
SH05-002-010	0.75	1.6	0.76	2.63	0.08
SH05-002-011	0.875	1.9	0.95	3.1	0.09
SH05-002-012	1	2.08	1.05	3.36	0.09



EUROPEAN TYPE THIMBLE STAMPED

Stainless Steel AISI AISI 316, Highly Polished


ART.NO.	Size	A	C	D	E
	mm	mm	mm	mm	mm
SH05-003-001	2	9	17	3	1
SH05-003-002	3	10	18	4	1
SH05-003-003	4	11	20	5	1.2
SH05-003-004	5	13	21	6	1.2
SH05-003-005	6	15	27	7	1.5
SH05-003-006	7	19	33	8	1.5
SH05-003-007	8	22	38	9	2
SH05-003-008	9	24	41	10	2
SH05-003-009	10	27	48	12	2.5
SH05-003-010	12	29	53	14	2.5
SH05-003-011	14	32	57	16	3
SH05-003-012	16	40	67	18	3
SH05-003-013	18	45	75	20	4
SH05-003-014	20	52	84	22	4
SH05-003-015	22	56	96	24	5
SH05-003-016	26	65	115	28	6
SH05-003-017	28	76	135	30	6
SH05-003-018	32	88	160	32	6
SH05-003-019	34	100	160	36	6
SH05-003-020	36	110	176	38	6
SH05-003-021	38	115	184	40	8
SH05-003-022	40	120	192	42	8
SH05-003-023	42	150	240	45	8



JIS TYPE THIMBLE STAMPED

Stainless Steel AISI 316, Highly Polished


ART.NO.	Size mm	A mm
SH05-004-001	6	35
SH05-004-002	8	47.5
SH05-004-003	10	58
SH05-004-004	12	67
SH05-004-005	16	91
SH05-004-006	20	112
SH05-004-007	22	120
SH05-004-008	25	134



Stainless Steel Wire Rope 1 x 19

Stainless Steel AISI304 and AISI 316


ART.No.	Dia (mm)	Breaking Load (kn)	Weight (kg/100m)
SH6-001-001	2	3.14	1.99
SH6-001-002	2.5	4.9	3.1
SH6-001-003	3	7.06	4.47
SH6-001-004	4	12.6	7.95
SH6-001-005	5	19.6	12.4
SH6-001-006	6	28.2	17.9
SH6-001-007	7	34.8	24.3
SH6-001-008	8	45.5	31.8
SH6-001-009	10	71.1	49.7
SH6-001-010	12	102	71.3



Stainless Steel Wire Rope 7 x 7

Stainless Steel AISI304 and AISI 316


ART.No.	Dia (mm)	Breaking Load (kn)	Weight (kg/100m)
SH6-002-001	2	2.37	1.71
SH6-002-002	2.5	3.71	2.6
SH6-002-003	3	5.34	3.85
SH6-002-004	4	9.49	7
SH6-002-005	5	14.8	10.5
SH6-002-006	6	21.4	14.8
SH6-002-007	8	38	25.5
SH6-002-008	10	59.3	38.8



Stainless Steel Wire Rope 7 x 19

Stainless Steel AISI304 and AISI 316

ART.No.	Dia (mm)	Breaking Load (kn)	Weight (kg/100m)
SH6-003-001	2	2.08	1.58
SH6-003-002	2.5	3.25	2.4
SH6-003-003	3	5	3.84
SH6-003-004	4	8.89	6.49
SH6-003-005	5	13.9	9.14
SH6-003-006	6	20	13.8
SH6-003-007	8	35.6	23.87
SH6-003-008	10	55.6	40.3
SH6-003-009	12	80	55





Stainless Steel Wire Rope 1 x 19, Coated

Stainless Steel AISI304 and AISI 316


ART.No.	Dia (mm)	Breaking Load (kn)	Weight (kg/100m)
SH6-004-001	4.0-6.0	12.6	9.5
SH6-004-002	4.0-8.0	12.6	13.5
SH6-004-003	5.0-8.0	12.6	17.2



Stainless Steel Wire Rope 7 x 7, Coated


Stainless Steel AISI304 and AISI 316

ART.No.	Dia (mm)	Breaking Load (kn)	Weight (kg/100m)
SH6-005-001	4.0-6.0	9.49	8.75
SH6-005-002	4.0-8.0	9.49	9.5



DIN3093 ALUMINUM FERRULES

Part No.	Size	A(inch)	B(inch)	C(inch)	D(inch)	L(inch)
SH7-001-001	1/4"	19/64	19/32	17/32	27/32	1
SH7-001-002	5/16"	3/8	3/4	21/32	1-1/32	1-17/84
SH7-001-003	3/8"	7/16	27/32	3/4	1-5/32	1-3/8
SH7-001-004	7/16"	1/2	1	29/32	1-13/32	1-23/32
SH7-001-005	1/2"	19/32	1-11/64	1-1/32	1-5/8	1-15/16
SH7-001-006	9/16"	23/32	1-3/8	1-7/32	1-57/64	2-7/32
SH7-001-007	5/8"	3/4	1-1/2	1-3/8	2-3/32	2-1/2
SH7-001-008	3/4"	53/64	1-11/16	1-1/2	2-3/8	2-7/8
SH7-001-009	7/8"	61/64	1-7/8	1-11/16	2-5/8	3
SH7-001-010	1"	1-3/32	2-7/32	1-32/32	3-3/32	3-3/4
SH7-001-011	1 1/8"	1-9/32	2-9/16	2-5/16	3-9/32	4-9/32
SH7-001-012	1 1/4"	1-13/32	2-25/32	2-1/2	3-7/8	4-7/16
SH7-001-013	1 1/2"	1-21/32	3-19/64	3-1/8	4-3/4	5-35/64



DIN3093 COPPER/COPPER NICKEL PLATED FERRULES

Part No.	Size (inch)	A (inch)	B (inch)	C (inch)	D (inch)	L (inch)
SH7-002-001	3/64"	1/16	1/8	9/64	13/64	3/8
SH7-002-002	1/16"	3/32	11/64	11/64	1/4	25/64
SH7-002-003	3/32"	7/64	1/4	15/64	3/8	29/64
SH7-002-004	1/8"	5/32	21/64	21/64	1/2	9/16
SH7-002-005	5/32"	3/16	27/64	3/8	19/32	5/8
SH7-002-006	3/16"	7/32	7/16	7/16	43/64	7/8
SH7-002-007	7/32"	1/4	33/64	15/32	23/32	7/8
SH7-002-008	1/4"	9/32	19/32	17/32	27/32	1-1/8
SH7-002-009	5/16"	3/8	23/32	21/32	1-1/64	1-1/8
SH7-002-010	3/8"	7/16	1-3/16	23/32	1-1/8	1-1/2